ELSEVIER

Brain Research 897 (2001) 238–239

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Akaike, K., see Imamura, S.-i. (897) 93
Andrews, E.M. and Kunze, D.L.
Voltage-gated K^+ channels in chemoreceptor sensory neurons of rat petrosal ganglion (897) 199
Armstrong, D.L., see Kramár, E.A. (897) 114

Bellomi, P., see Sotgiu, M.L. (897) 184
Bernardi, G., see Stefani, A. (897) 207
Biella, G., see Sotgiu, M.L. (897) 184
Bjørkum, A., see Sørensen, E. (897) 122
Bjorvatn, B., see Sørensen, E. (897) 122

Carrive, P., see Dielenberg, R.A. (897) 228
Carroll, F.I., see Kimmel, H.L. (897) 157
Cha, C.I., see Chung, Y.H. (897) 193
Chang, C. and Shyu, B.-C.
A fMRI study of brain activations during non-noxious and noxious electrical stimulation of the sciatic nerve of rats (897) 71
Chen, Yu.-Z., see Zou, B.-D. (897) 52
Choudhary, S., Joshi, K. and Gill, K.D.
Possible role of enhanced microtubule phosphorylation in dichlorvos induced delayed neurotoxicity in rat (897) 60
Chung, Y.H., Shin, C.-M., Kim, M.J., Lee, B.K. and Cha, C.I.
Age-related changes in the distribution of Kv1.1 and Kv1.2 channel subunits in the rat cerebellum (897) 193
Cortez, M.A., see Hu, R.-Q. (897) 27
Crabbe, J.C., see Schafer, G.L. (897) 139
Czigler, I., see Yabe, H. (897) 222

Daudu, P., see Rozanov, C. (897) 1
Dielenberg, R.A., Carrive, P. and McGregor, I.S.
The cardiovascular and behavioral response to cat odor in rats: unconditioned and conditioned effects (897) 228
Donahue, R.R., LaGraize, S.C. and Fuchs, P.N.
Electrolytic lesion of the anterior cingulate cortex decreases inflammatory, but not neuropathic nociceptive behavior in rats (897) 131
Duysens, J., see Hauglustaine, S. (897) 180

Fuchs, P.N., see Donahue, R.R. (897) 131

Giacomini, P., see Stefani, A. (897) 207
Gill, K.D., see Choudhary, S. (897) 60
Giraudo, S.Q., see Wirth, M.M. (897) 169
Grønli, J., see Sørensen, E. (897) 122

Haisley, E.C., see Pollack, A.E. (897) 213
Harding, J.W., see Kramár, E.A. (897) 114
Harrington, G.S. and Hunter Downs III, J.
FMRI mapping of the somatosensory cortex with vibratory stimuli. Is there a dependency on stimulus frequency? (897) 188
Hartlage-Rübsamen, M. and Schliebs, R.
Sequential upregulation of cell adhesion molecules in degenerating rat basal forebrain cholinergic neurons and in phagocytotic microglial cells (897) 20
Hauglustaine, S., Prokop, T., Van Zwieten, K.J. and Duysens, J.
Phase-dependent modulation of cutaneous reflexes of tibialis anterior muscle during hopping (897) 180
Hirayama, M. and Kuriyama, M.
MK-801 is cytotoxic to microglia in vitro and its cytotoxicity is attenuated by glutamate, other excitotoxic agents and atropine. Possible presence of glutamate receptor and muscarinic receptor on microglia (897) 204
Hiruma, T., see Yabe, H. (897) 222
Hu, R.-Q., Cortez, M.A., Man, H.-Y., Roder, J., Jia, Z., Wang, Yu.-T. and Snead III, O.C.
γ-Hydroxybutyric acid-induced absence seizures in GluR2 null mutant mice (897) 27
Hunter Downs III, J., see Harrington, G.S. (897) 188

Ikeda, S., see Kramár, E.A. (897) 114
Imamura, S.-i., Tanaka, S., Akaike, K., Tojo, H., Takigawa, M. and Kuratsu, J.-i.
Hippocampal transection attenuates kainic acid-induced amygdalar seizures in rats (897) 93
Ioannides, A.A., see Shibata, T. (897) 164

Jia, Z., see Hu, R.-Q. (897) 27
Joshi, K., see Choudhary, S. (897) 60

Kakigi, R., see Yabe, H. (897) 222
Kaneko, S., see Yabe, H. (897) 222
Kennaway, D.J., Moyer, R.W., Voultsios, A. and Varcoe, T.J.
Serotonin, excitatory amino acids and the photic control of melatonin rhythms and SCN c-FOS in the rat (897) 36
Kim, M.J., see Chung, Y.H. (897) 193
Kimmel, H.L., Carroll, F.I. and Kuhar, M.J.
RTI-76, an irreversible inhibitor of dopamine transporter binding, increases locomotor activity in the rat at high doses (897) 157
Koshikawa, N., see Nakamura, K. (897) 82
Koyama, S., see Yabe, H. (897) 222
Kramár, E.A., Armstrong, D.L., Ikeda, S., Wayner, M.J., Harding, J.W. and Wright, J.W.
The effects of angiotensin IV analogs on long-term potentiation within the CA1 region of the hippocampus in vitro (897) 114
Kuhar, M.J., see Kimmel, H.L. (897) 157
Kunze, D.L., see Andrews, E.M. (897) 199
Kuratsu, J.-i., see Imamura, S.-i. (897) 93
Kuriyama, M., see Hirayama, M. (897) 204

LaGraize, S.C., see Donahue, R.R. (897) 131
Lahiri, S., see Rozanov, C. (897) 1
Lavaroni, F., see Stefani, A. (897) 207
Lee, B.K., see Chung, Y.H. (897) 193

Majlessi, N., see Naghdi, N. (897) 44
Man, H.-Y., see Hu, R.-Q. (897) 27
McGregor, I.S., see Dielenberg, R.A. (897) 228
Mintz, M. and Wang-Ninio, Y.
Two-stage theory of conditioning: involvement of the cerebellum and the amygdala (897) 150
Mokashi, A., see Rozanov, C. (897) 1
Moyer, R.W., see Kennaway, D.J. (897) 36

Nafisy, N., see Naghdi, N. (897) 44
Naghdi, N., Nafisy, N. and Majlessi, N.
The effects of intrahippocampal testosterone and flutamide on spatial localization in the Morris water maze (897) 44
Nakamura, K., Shirane, M. and Koshikawa, N.
Site-specific activation of dopamine and serotonin transmission by aniracetam in the mesocorticolimbic pathway of rats (897) 82

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02267-3

ELSEVIER

Brain Research 897 (2001) 238–239

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Akaike, K., see Imamura, S.-i. (897) 93
Andrews, E.M. and Kunze, D.L.
Voltage-gated K^+ channels in chemoreceptor sensory neurons of rat petrosal ganglion (897) 199
Armstrong, D.L., see Kramár, E.A. (897) 114

Bellomi, P., see Sotgiu, M.L. (897) 184
Bernardi, G., see Stefani, A. (897) 207
Biella, G., see Sotgiu, M.L. (897) 184
Bjørkum, A., see Sørensen, E. (897) 122
Bjorvatn, B., see Sørensen, E. (897) 122

Carrive, P., see Dielenberg, R.A. (897) 228
Carroll, F.I., see Kimmel, H.L. (897) 157
Cha, C.I., see Chung, Y.H. (897) 193
Chang, C. and Shyu, B.-C.
A fMRI study of brain activations during non-noxious and noxious electrical stimulation of the sciatic nerve of rats (897) 71
Chen, Yu.-Z., see Zou, B.-D. (897) 52
Choudhary, S., Joshi, K. and Gill, K.D.
Possible role of enhanced microtubule phosphorylation in dichlorvos induced delayed neurotoxicity in rat (897) 60
Chung, Y.H., Shin, C.-M., Kim, M.J., Lee, B.K. and Cha, C.I.
Age-related changes in the distribution of Kv1.1 and Kv1.2 channel subunits in the rat cerebellum (897) 193
Cortez, M.A., see Hu, R.-Q. (897) 27
Crabbe, J.C., see Schafer, G.L. (897) 139
Czigler, I., see Yabe, H. (897) 222

Daudu, P., see Rozanov, C. (897) 1
Dielenberg, R.A., Carrive, P. and McGregor, I.S.
The cardiovascular and behavioral response to cat odor in rats: unconditioned and conditioned effects (897) 228
Donahue, R.R., LaGraize, S.C. and Fuchs, P.N.
Electrolytic lesion of the anterior cingulate cortex decreases inflammatory, but not neuropathic nociceptive behavior in rats (897) 131
Duysens, J., see Hauglustaine, S. (897) 180

Fuchs, P.N., see Donahue, R.R. (897) 131

Giacomini, P., see Stefani, A. (897) 207
Gill, K.D., see Choudhary, S. (897) 60
Giraudo, S.Q., see Wirth, M.M. (897) 169
Grønli, J., see Sørensen, E. (897) 122

Haisley, E.C., see Pollack, A.E. (897) 213
Harding, J.W., see Kramár, E.A. (897) 114
Harrington, G.S. and Hunter Downs III, J.
FMRI mapping of the somatosensory cortex with vibratory stimuli. Is there a dependency on stimulus frequency? (897) 188
Hartlage-Rübsamen, M. and Schliebs, R.
Sequential upregulation of cell adhesion molecules in degenerating rat basal forebrain cholinergic neurons and in phagocytotic microglial cells (897) 20
Hauglustaine, S., Prokop, T., Van Zwieten, K.J. and Duysens, J.
Phase-dependent modulation of cutaneous reflexes of tibialis anterior muscle during hopping (897) 180
Hirayama, M. and Kuriyama, M.
MK-801 is cytotoxic to microglia in vitro and its cytotoxicity is attenuated by glutamate, other excitotoxic agents and atropine. Possible presence of glutamate receptor and muscarinic receptor on microglia (897) 204
Hiruma, T., see Yabe, H. (897) 222
Hu, R.-Q., Cortez, M.A., Man, H.-Y., Roder, J., Jia, Z., Wang, Yu.-T. and Snead III, O.C.
γ-Hydroxybutyric acid-induced absence seizures in GluR2 null mutant mice (897) 27
Hunter Downs III, J., see Harrington, G.S. (897) 188

Ikeda, S., see Kramár, E.A. (897) 114
Imamura, S.-i., Tanaka, S., Akaike, K., Tojo, H., Takigawa, M. and Kuratsu, J.-i.
Hippocampal transection attenuates kainic acid-induced amygdalar seizures in rats (897) 93
Ioannides, A.A., see Shibata, T. (897) 164

Jia, Z., see Hu, R.-Q. (897) 27
Joshi, K., see Choudhary, S. (897) 60

Kakigi, R., see Yabe, H. (897) 222
Kaneko, S., see Yabe, H. (897) 222
Kennaway, D.J., Moyer, R.W., Voultsios, A. and Varcoe, T.J.
Serotonin, excitatory amino acids and the photic control of melatonin rhythms and SCN c-FOS in the rat (897) 36
Kim, M.J., see Chung, Y.H. (897) 193
Kimmel, H.L., Carroll, F.I. and Kuhar, M.J.
RTI-76, an irreversible inhibitor of dopamine transporter binding, increases locomotor activity in the rat at high doses (897) 157
Koshikawa, N., see Nakamura, K. (897) 82
Koyama, S., see Yabe, H. (897) 222
Kramár, E.A., Armstrong, D.L., Ikeda, S., Wayner, M.J., Harding, J.W. and Wright, J.W.
The effects of angiotensin IV analogs on long-term potentiation within the CA1 region of the hippocampus in vitro (897) 114
Kuhar, M.J., see Kimmel, H.L. (897) 157
Kunze, D.L., see Andrews, E.M. (897) 199
Kuratsu, J.-i., see Imamura, S.-i. (897) 93
Kuriyama, M., see Hirayama, M. (897) 204

LaGraize, S.C., see Donahue, R.R. (897) 131
Lahiri, S., see Rozanov, C. (897) 1
Lavaroni, F., see Stefani, A. (897) 207
Lee, B.K., see Chung, Y.H. (897) 193

Majlessi, N., see Naghdi, N. (897) 44
Man, H.-Y., see Hu, R.-Q. (897) 27
McGregor, I.S., see Dielenberg, R.A. (897) 228
Mintz, M. and Wang-Ninio, Y.
Two-stage theory of conditioning: involvement of the cerebellum and the amygdala (897) 150
Mokashi, A., see Rozanov, C. (897) 1
Moyer, R.W., see Kennaway, D.J. (897) 36

Nafisy, N., see Naghdi, N. (897) 44
Naghdi, N., Nafisy, N. and Majlessi, N.
The effects of intrahippocampal testosterone and flutamide on spatial localization in the Morris water maze (897) 44
Nakamura, K., Shirane, M. and Koshikawa, N.
Site-specific activation of dopamine and serotonin transmission by aniracetam in the mesocorticolimbic pathway of rats (897) 82

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)02267-3

OuYang, K.-F., see Zou, B.-D. (897) 52

Pollack, A.E. and Haisley, E.C.
NMDA glutamate receptor stimulation is required for the expression of D2 dopamine mediated responses in apomorphine primed 6-hydroxydopamine lesioned rats (897) 213
Prado, W.A., see Sousa, A.M. (897) 9
Prokop, T., see Hauglustaine, S. (897) 180

Roder, J., see Hu, R.-Q. (897) 27
Roy, A., see Rozanov, C. (897) 1
Rozanov, C., Roy, A., Mokashi, A., Daudu, P. and Lahiri, S.
Barium-stimulated chemosensory activity may not reflect inhibition of background voltage-insensitive K^+ channels in the rat carotid body (897) 1

Schafer, G.L., Crabbe, J.C. and Wiren, K.M.
Ethanol-regulated gene expression of neuroendocrine specific protein in mice: brain region and genotype specificity (897) 139
Schliebs, R., see Hartlage-Rübsamen, M. (897) 20
Shibata, T. and Ioannides, A.A.
Contribution of the human superior parietal lobule to spatial selection process: an MEG study (897) 164
Shin, C.-M., see Chung, Y.H. (897) 193
Shin, J. and Talnov, A.
A single trial analysis of hippocampal theta frequency during nonsteady wheel running in rats (897) 217
Shirane, M., see Nakamura, K. (897) 82
Shyu, B.-C., see Chang, C. (897) 71
Snead III, O.C., see Hu, R.-Q. (897) 27
Sørensen, E., Grønli, J., Bjorvatn, B., Bjørkum, A. and Ursin, R.
Sleep and waking following microdialysis perfusion of the selective 5-HT_{1A} receptor antagonist p-MPPI into the dorsal raphe nucleus in the freely moving rat (897) 122
Sotgiu, M.L., Bellomi, P. and Biella, G.
Effect of different concentrations of iontophoretic nociceptin on distinct classes of nociceptive neurons in rat spinal cord (897) 184
Sousa, A.M. and Prado, W.A.
The dual effect of a nitric oxide donor in nociception (897) 9
Spadoni, F., see Stefani, A. (897) 207
Stefani, A., Spadoni, F., Giacomini, P., Lavaroni, F. and Bernardi, G.
The activation of μ opioid receptors promotes a small modulation of calcium currents in rat pallidal neurons (897) 207
Sutoh, T., see Yabe, H. (897) 222

Takigawa, M., see Imamura, S.-i. (897) 93
Talnov, A., see Shin, J. (897) 217
Tanaka, S., see Imamura, S.-i. (897) 93
Tojo, H., see Imamura, S.-i. (897) 93

Ursin, R., see Sørensen, E. (897) 122

van Zwieten, K.J., see Hauglustaine, S. (897) 180
Varcoe, T.J., see Kennaway, D.J. (897) 36
Voultsios, A., see Kennaway, D.J. (897) 36

Wang, Yu.-T., see Hu, R.-Q. (897) 27
Wang-Ninio, Y., see Mintz, M. (897) 150
Wayner, M.J., see Kramár, E.A. (897) 114
Winkler, I., see Yabe, H. (897) 222
Wiren, K.M., see Schafer, G.L. (897) 139
Wirth, M.M. and Giraudo, S.Q.
Effect of Agouti-related protein delivered to the dorsomedial nucleus of the hypothalamus on intake of a preferred versus a non-preferred diet (897) 169
Wright, J.W., see Kramár, E.A. (897) 114
Wu, C.-H., see Zou, B.-D. (897) 52

Yabe, H., Winkler, I., Czigler, I., Koyama, S., Kakigi, R., Sutoh, T., Hiruma, T. and Kaneko, S.
Organizing sound sequences in the human brain: the interplay of auditory streaming and temporal integration (897) 222
Yusa, T.
Increased extracellular ascorbate release reflects glutamate re-uptake during the early stage of reperfusion after forebrain ischemia in rats (897) 104

Zhao, Q., see Zheng, W. (897) 175
Zheng, W. and Zhao, Q.
Iron overload following manganese exposure in cultured neuronal, but not neuroglial cells (897) 175
Zhou, P.-A., see Zou, B.-D. (897) 52
Zou, B.-D., OuYang, K.-F., Chen, Yu.-Z., Wu, C.-H. and Zhou, P.-A.
Blockade of U50488H on potassium currents of acutely isolated mouse hippocampal CA3 pyramidal neurons (897) 52